

IPIC 2023

9th International Physical Internet Conference

> June 13-15, 2023 Athens, Greece



PHYSICAL INTERNET



Sergio Barbarino


Open Innovation Senior Director-Research Fellow at P&G














Container limit: 87m³ & 24 tonnes

Overall efficiency: 80% weight & 80% volume



Container Limit = 87m³ & 24 tonnes Overall efficiency = 80% weight & 80% volume



Container Limit = 87m³ & 24 tonnes
Overall efficiency = 80% weight & 80% volume



























But it's not always easy...



Compelling Business Need For Encapsulation



REDUCING PACKAGING WASTE (Transport + Secondary + Primary)



Vehicle Fill Rate & Pallet Stability (Double stacking + Mixed Pallets + Stretch Film removal)



Strong Future Business Case (Dehydration + Compaction)



A NEW INDUSTRY STANDARD: GS1 SMARTBOX

























Core benefit of the SMART Box









PPWR= Single use transport packaging elimination



SMART Box is part of the solution to enable industry to do the transition into a less packaging, less plastic & less cardboard logistic paradigm as per upcoming PPWR revision



SMART Box integration



Example of an actual standard pallet: cardboard, pallet edges, plastic film, area utilisation of the pallet not optimised...!

Example of SMART Box Pallet in P&G LODZ Plant

An Opportunity for a better use of materials!

PAST UP TO NOW

CARDBOARD OUTSIDE - PLASTIC INSIDE

FUTURE TREND

PLASTIC OUTSIDE - CARDBOARD INSIDE









Double Stack 2,40m

INNOVATION ON TRADITIONAL MODULAR BOXES





AELER CONTAINER

















PRESSURE



HUMIDITY



LUMINOSITY



IMPACT



DOOR OPENING DETECTION



PRECISE GPS POSITION



VOC GAS



5-10 MIN WORLDWIDE

UPDATES



HIGHEST SECURITY



SELF CHARGING



CAPABLE

RFDI

Insulated container with higher payload

Problem to be Solved:

Use Case: Carry more bulk liquid


Solution:

• New 20 Foot std. container for ocean or land in composite materials allows increased payload of up to 4-6 more tons (+15-20%) better Temperature insulation, -20% lower CO2 per ton of material, less waste

Pilot Approach:



TODAY



Ship test to London-Turkey with MSC/MEDLOG

Test Shipment Results:

Successfully completed on time with

- ✓ No safety issue
- ✓ No leakage and no quality issue
- ✓ No damage/deformation on the container
- ✓ No issue about Loading/Unloading/squeezing.
- ✓ No impact on going lead time
- Commercial exploitation starting



If you want to go fast, go alone.

If you want to go far, go together.

African Proverb



